

XTRABOND®9500

MODIFIED POLYURETHANE SEALANT

XtraBond®9500 is a high performance, one component, permanently flexible, easy to use, multi-purpose fast cure modified polyurethane sealant. Xtrabond®9500 cures rapidly when exposed to atmospheric moisture to form a durable bond.

Features

- AAMA Certified
- Non-Yellowing
- Environmentally friendly
- No Solvents, Very Low VOCs
- Can Be Painted in 2 hours
- Fast Cure at a wide range of temperatures
- Aggressive Adhesion to common construction substrates
- Compatible with SBS Flashing

Applications

- Perimeter sealing of windows, doors & skylights
- Siding
- Construction Flashing Applications
- Sealing Waterproof Membrane
- Industrial Applications

INTERACTIVE
COLOR MATCHING
PROGRAM

NOW IN
300+
COLORS
XtraBond.com Color



Specifications

Skin Time	Less than 20 minutes @ 77 degF/ 50% RH
Tack Free Time	Less than 1 hour @ 77 degF / 50% RH
Cure Rate	1/4" Bead per 24 Hrs
VOC.....	9 g/L (0.0751 lb/gal)
Elongation @ Break	450%
Shore A	35 +/- 5
Movement Capability	25%
UV Rating	No discoloration or change in appearance after 2500 hrs of UV
Lap Shear	350 psi
Tensile Strength	250 psi
Staining	None
Low Temp. Flexibility	Retained to -90 deg. F.
High Temp. Flexibility	Up to 425 deg. F for short periods
Sag	None



XTRABOND®9500

MODIFIED POLYURETHANE SEALANT

COLOR BROCHURE



PREMIER
INDUSTRIAL SUPPLY



PREMIER
INDUSTRIAL SUPPLY

EMAIL & ONLINE:
INFO@PREMIERINDUSTRIAL.NET
WWW.PREMIERINDUSTRIAL.NET


WEST COAST:
23040 N 11TH AVE. STE 112
PHOENIX, AZ 85027
PH: 623-780-3160
FX: 623-478-2566

EAST COAST:
4282B STRAUSSER ST. NW
NORTH CANTON, OH 44720
PH: 330-244-2907
FX: 330-244-9423

Not Only Do We Have Over 275 Colors...

We're GREEN TOO


Whites/Blacks/Clears




Browns




Beiges



Greens




Bronzes




Grays




Yellows



Blues



Reds



Premier Industrial Supply, Inc. is committed to not only excellent products and services, but also the environment. Our XtraBond®9500 Modified Polyurethane Sealant achieves both of these!

The world is changing in its recognition on the effects of construction industry on the environment. There is a genuine increase in the awareness and supply of "green" goods, services, and standards within the construction industry.

Premier is committed to developing our products and standards consistent with the progression of an "eco-friendly" world.

Our "Green" series of sealants & adhesives are beneficial to the effect on the environment at two levels. First, by minimizing the effects of the environment. Secondly, increasing a building's efficiency.



Increasing a building's efficiency is made possible by reducing the amount of heat loss (or intrusion) by sealing cracks, seams, and other openings. The environmental effect reduction is made possible by our extremely low VOC (volatile organic compounds) levels. All of Premier's "Green" products have VOC levels less than that required by the national standards.



Premier has the ability to scientifically color match virtually any color, generate a formula, mix and fill your Custom Color . . . all in the same day too!

*Custom colors available upon request.

866-512-GLUE

DISCLAIMER: Due to differentiation in printing processes and monitor calibration settings, some of the above samples may not appear true to the actual colors. For exact colors, please contact Premier Industrial Supply for actual caulking samples.