

# MATERIAL SAFETY DATA SHEET

## PREMIER INDUSTRIAL SUPPLY, INC.

**Product Name:** POLYPROPYLENE COATED FABRIC W/ MEMBRANE STRIP  
**Date Issued:** March 30, 2008

### 1. Company Identification & Chemical Product

**Product Brand Name:** XtraFlash Plus  
**Product Use:** Nail On OverWrap Flashing  
**DOT Hazard Classification:** None

#### Company Contact Information

Premier Industrial Supply, Inc.  
23040 N. 11<sup>th</sup> Ave Ste 112  
Phoenix, AZ 85027

#### Emergency Telephone Number

Telephone: 866-512-4583

### 2. Information on Ingredients

Non-Hazardous Woven & Coated Polypropylene with membrane dual strip 1

<u>Ingredient</u>	<u>Case Number</u>	<u>Weight %</u>
Paraffinic Distillate Extract	064742-04-07	8%
Proprietary		8%

### 3. Health & Hazards Identification

#### HEALTH HAZARDS:

**CAUTION:** Can cause eye, skin, and respiratory system, irritation.

#### SYMPTOMS OF EXPOSURE

**Inhalation:** Trace component and residual monomer may cause headache and irritation .

**Eye Contact:** Can cause eye irritation with direct contact. Symptoms include stinging, tearing, redness and swelling of eyes.

**Skin Contact:** No significant effects expected from a single short term exposure..

**Ingestion:** There are no known symptoms of ingestion..

**Symptoms of Over exposure:** No known applicable information.

#### 4. PHYSICAL & CHEMICAL PROPERTIES

<b>VOC Content:</b> 100%	<b>Water Solubility:</b> Insoluble
<b>Boiling Point:</b> N/A	<b>Odor:</b> Slight Odor
<b>Vapor Density:</b> N/A	<b>Color:</b> White & Black
<b>State:</b> Aerosol at 20C	<b>Reactivity to Water:</b> Incompatible
<b>Melting Point:</b> N.D.	<b>Specific Gravity:</b> 1.01
<b>Freezing Point:</b> 170 C	

#### 5. FIRE FIGHTING MEASURES

##### Flash Point & Method

Contains non- flammable components

##### GENERAL HAZARD:

Not Flammable

##### EXTINGUISHING MEDIA

Quantities of water, Polyvalent foam, BC Powder, Carbon Dioxide

##### FLAMMABILITY: TDGR Class

Sensitivity to impact  
Sensitivity to static discharge

##### SPECIAL FIREFIGHTING INSTRUCTIONS

Take account of toxic firefighting water  
Do not move the load if exposed to heat  
Breathing apparatus required when fighting fires in enclosed area.

##### SPECIAL EXPOSURE HAZARDS

Avoid exposure to dripping plastics & smoke

#### 6. REGULATORY INFORMATION

The contents of this MSDS comply with OSHA Hazard Communication Standard 29 CFR 1910.1200

##### SARA (302)

CHEMICAL NAME	TPQ (lbs)	RQ (lbs)/ (kg)
N/A	N/A	N/A

#### 7. ACCIDENTAL RELEASE MEASURES

**Containment/Clean Up:** Observe all personal protective equipment recommendations as described in section 8. Allow product to solidify and

remove it by mechanical means. Remove uncured foam with acetone. Use appropriate containment to avoid environmental contamination.

## 8. HANDLING AND STORAGE

**Storage:** Product may be slippery if exposed to water or moisture.

**Storage Life:** 365 days

**Materials for packaging:** Box/Roll

## 9. EXPOSURE CONTROLS & PERSONAL PROTECTION

### PERSONAL PROTECTIONS

**Ventilation:** Local and General Ventilation are required

**Eye Protection:** Wear safety glasses with side shields as a minimum

**Skin Protection:** Impervious gloves are suggested. Wash at mealtimes and end of shift.

**Gloves:** Nitrile Gloves

**Clothes:** Wear clothing that will protect the skin from exposure to this chemical.

**Note:** These precautions are for room temperature handling.

## 10. STABILITY AND REACTIVITY

### INCOMPATIBILITIES:

Heat sources, ignition sources, acids, bases

### STABILITY:

Unstable on exposure to heat Decomposition temperature > 350 C

### INCOMPATIBILITIES (avoid)

Other than water, consult manufacture for use. Slightly reactive with acids. Temperatures above 180 F

### HAZARDOUS BYPRODUCTS

Carbon monoxide, carbon dioxide, oxides of nitrogen, and hydrocarbons may be generated during thermal decomposition.

## 11. ECOLOGICAL INFORMATION

### FOR PRODUCT

Not Established

## 12. DISPOSAL CONSIDERATIONS

### RCRA WASTE CODE

Not regulated as a hazardous waste per 40 CFR 261. Clean and reuse if possible. Observed all applicable federal, state, and local regulations. Material is not classified as a hazardous waste per 40 CFR 261.

### WASTE DISPOSAL METHOD

We make no guarantee or warranty of any kind that the use or disposal of this product complies with all local, state, or federal laws. It is also the obligation of each user of the product mentioned herein to determine and comply with the requirements of all applicable statutes

## 13. TRANSPORT INFORMATION

### **Marine Transport**

None

### **DOT (usa):**

None

### **DOT Hazard Classification:**

None

### **UN/NA Number:**

1950

### **Label Required:**

None

No specific regulation apply

### STATE REGULATION

#### **California Proposition 65:**

None Known

*This chemical contains the following listed by the state of California under the safe Drinking Water and Toxic Enforcement Act of 1986 as being known to cause cancer, birth defects and reproductive harm.*

### VOC CONTENT:

Based on the current EPA definition of volatile organic compound, this product does not have any VOC content.

## 14. OTHER INFORMATION

**Disclaimer:** The opinions expressed herein are those of qualified experts within Premier Industrial Supply Inc. We believe the information contained herein is current as the date of this MSDS. Since the use of the product is not within the control of Premier Industrial Supply Inc. it is the user's obligation to determine the conditions of safe use.

**PREPARED BY:** Premier Industrial Supply Inc.  
**MSDS #:** XTRAFASH PLUS  
**DATE PREPARED:** March 30 2008  
**DATE ISSUED:** March, 2008